

# Home **Essentials** for a beautiful everyday




Water Heater | Room Heater | Immersion heater | Dry Iron



Comfort manifests in not just the big things, but in the small, everyday essentials that help life better. Choose from a wide range of Water Heaters, Room Heaters & Irons, each guaranteed for quality performance, tested by time.

Backed by efficient and earnest customer service, we constantly strive towards coming up with products that help make life comfortable.







Disclaimer: Due to continuous product improvements, Product Image shown may vary from actual product.

#### STORAGE WATER HEATER - SUPREMUS+

#### 15 Ltr | 25 Ltr





Digital Temperature Display



Durable, **Rust Proof HIPS Body** 



Magnesium Anode Rod



Building



Thermal Cutout

Safety Valve




•	4 star	bee	rating	- for	low	power	consumption
---	--------	-----	--------	-------	-----	-------	-------------

- Adjustable temperature knob for convenience
- Suitable for pressure pumps and high rise buildings
- Puf insulation for efficient power consumption
- Auto cut off provided for safety
- · Vitreous enameled glass line tank for long life

Voltage	Туре	Frequency	Wattage	Rated Pressure
220V	Storage	50Hz	2 KW	8 Bar

Capacity	Dimensions (mm)			
in Litres	L	W	Н	
15	330	340	490	
25	385	395	550	





PRODUCT	2 YEAR
HEATING ELEMENT	2 YEAR
ON TANK	7 YEAR





Disclaimer: Due to continuous product improvements, Product Image shown may vary from actual product.

## STORAGE WATER HEATER - SUPREMUS GLS

#### 06 Ltr | 10 Ltr | 15 Ltr | 25 Ltr





High-grade Thermostat



Rust Proof Body



Magnesium Anode Rod



Vitreous Enameled Glass Line Tank For Long Life

•	Safety feature- Multi functional valve, Thermostat,
	Thermal cutout

• Suitable for high rise buildings and high pressure pumps

Adjustable temperature control knob

Voltage	Type	Frequency	Wattage	Rated Pressure
220V	Storage	50Hz	2 KW	8 Bar

#### PRODUCTS DIMENSIONS

Capacity	Dimensions (mm)		
in Litres	L	W	Н
6	325	340	415
10	325	340	475
15	325	340	550
25	370	400	600





PRODUCT	2 YEAR
HEATING ELEMENT	2 YEAR
ON TANK	7 YEAR



Multi Functional

Safety Valve




Disclaimer: Due to continuous product improvements, Product Image shown may vary from actual product.

#### STORAGE WATER HEATER - CALESCENT

#### 10 Ltr | 15 Ltr | 25 Ltr









Magnesium Anode Rod




Multi Functional Safety Valve

- Suitable for high rise buildings and high pressure pumps
- Safety feature- Multi functional valve, Thermostat,
   Thermal cutout
- Adjustable temperature control knob

Voltage	Туре	Frequency	Wattage	Rated Pressure
220V	Storage	50Hz	2 KW	8 Bar

Capacity	Dimensions (mm)			
in Litres	L	W	Н	
10	317	330	410	
15	305	330	550	
25	355	375	600	







Metal Body



PRODUCT	2 YEAR
HEATING ELEMENT	2 YEAR
ON TANK	7 YEAR





Disclaimer: Due to continuous product improvements, Product Image shown may vary from actual product.

#### STORAGE WATER HEATER - ARDENT

#### 10 Ltr | 15 Ltr | 25 Ltr

**VERTICAL MOUNTING** 





High-grade Thermostat





Thermal Cutout



Fusible Plug



Glasswool Insulation



Pressure Release Value

- Safety feature -Thermostat & Thermal Cutout, Pressure release valve & fusible plug
- High grade & high gauge stainless steel tank SS 304 L
- Anti vacuum system
- Powder coated metal body for long life

Voltage	Туре	Frequency	Wattage	Rated Pressure
220V	Storage	50Hz	2 KW	3.5 Bar

Capacity	Dimensions (mm)		
in Litres	L	W	Н
10	405	255	510
15	395	305	495
25	432	380	540





PRODUCT	2 YEAR
HEATING ELEMENT	2 YEAR
ON TANK	5 YEAR





Disclaimer: Due to continuous product improvements, Product Image shown may vary from actual product.

#### **INSTANT WATER HEATER - RAVISH**

#### 03 Ltr





Fire retardant power cord

- Fire retardant power cord for maximum safety
- Weldless SS 304 L tank that enhances resistance to corrosion ensuring long tank life
- Rust and shock proof outer body
- Capillary thermostat for higher efficiency
- Leakage proof integrated pressure valve
- Anti Siphon protection designed to prevent any backflow of water and protect the heating element from dry heating
- Disc type thermal cut-out for higher efficiency

Voltage	Туре	Frequency	Wattage	Rated Pressure
230V	Instant	50Hz	3 KW	6.5 Bar

Н

365



Weldless SS 304 tank



Rust and shock proof outer body



Capillary thermostat







Capacity

in Litres

03

PRODUCTS DIMENSIONS

202

PRODUCT	2 YEAR
HEATING ELEMENT	2 YEAR
ON TANK	5 YEAR


Dimensions (mm)

W

196







Disclaimer: Due to continuous product improvements, Product Image shown may vary from actual product.

#### **INSTANT WATER HEATER - CALID Plus**

03 Ltr





High-quality Thermostat



Pressure Release Value



Thermal Cutout



LED Indicator



Fusible Plug




Steel Tank

- Thermostat, Thermal Cut Out & Pressure Release Valve (PRV) for Safety Purpose
- High Grade & High Gauge Stainless Steel Tank SS 304 L
- Rust Proof Body

Voltage	Type	Frequency	Wattage	Rated Pressure
230V	Instant	50Hz	3 KW	6.5 Bar

Capacity	Dim	Dimensions (mm)		
in Litres	L	W	Н	
03	202	196	365	





PRODUCT	2 YEAR
HEATING ELEMENT	2 YEAR
ON TANK	5 YEAR



Disclaimer: Due to continuous product improvements, Product Image shown may vary from actual product.

#### **INSTANT WATER HEATER - CALID Pro**

#### 05 Ltr





High-quality Thermostat



Pressure Release Value



Thermal Cutout





Suitable for Low & mid res Buildings




- 3 level Safety Feature Thermostat and Thermal Cutout and Pressure Release Valve(PRV) for Safety Purpose
- Thick High Grade Stainless Steel (SS 304L) Weldless Tank
- Rust & Shock-Proof Plastic body
- LED Indicator for Power and Heating

Voltage	Туре	Frequency	Wattage	Rated Pressure
230V	Instant	50Hz	3 KW	6.5 Bar

Capacity	Dimensions (mm)		
in Litres	L	W	Н
05	235	225	435



PRODUCT	2 YEAR
HEATING ELEMENT	2 YEAR
ON TANK	5 YEAR





Disclaimer: Due to continuous product improvements, Product Image shown may vary from actual product.

#### GAS WATER HEATER - LPG/PNG

06 Ltr









3-Row Burner withdouble ignition



Summer / Winter

Mode

Adjustable temperature

control

- Better safety during gas flow with single solenoid valve
- Secondary automatic overheat protection Thermal cutout
- Flame failure device
- Gas leakage protection
- Mesh on water inlet, gas inlet and chimney to avoid scaling, blockage, dry heating and impurities
- Variable pressure Compatibility Suitable for low and high water pressure (upto 8 bar)
- Safety lock To control the ON/OFF operation
- ISI Certified product For safety and quality

Rated	Rated Heat	Frequency	Rated
Capacity	Input		Pressure
6 L/min	10kW	50Hz	LPG- 2900 Pa / PNG-2000 Pa

Capacity	Dimensions (mm)		
in Litres	L	W	Н
06	290	140	490





Disclaimer: Due to continuous product improvements, Product Image shown may vary from actual product.

#### IMMERSION WATER HEATER

#### 1.0 KW | 1.5 KW



- Shock proof handle complete protection against electric shock
- Water Proof Handle
- · Instant heating
- · Water level indicator

Voltage	230V
Туре	Immersion Heater
Frequency	50Hz
Wattage	1.0 KW / 1.5 KW



- Shock proof bakelite handle
- Power Indicator
- Instant Heating
- Water Level Indicator
- Energy efficient

Voltage	230V
Туре	Immersion Heater
Frequency	50Hz
Wattage	1.0 KW / 1.5 KW



Heavy copper heating element



Nickel Plating for Corrosion Resistance



Plastic Shockproof waterproof handle



Neon Indicator



Sturdy Bucket Clip





Disclaimer: Due to continuous product improvements, Product Image shown may vary from actual product.

# **HEAT CONVECTOR - RH 1**

#### 2000 W



- Twin Turbo Design.
- Two Heating Positions.
- · Thermal cutout.
- Instant heating.
- Indicator Light.
- Portable.

Voltage	230V
Frequency	50Hz
Wattage	2000 W
Thermal cut-out	Provided
Heating position	1000W /
	2000W



Two Heating Positions



Thermal Cutout



Indicator Light



Twin Turbo Motor

#### **HEAT CONVECTOR - RH 2**



- Twin Turbo Design.
- Two Heating Positions.
- Thermostat & Thermal cutout.
- · Instant heating.
- Indicator Light.
- Portable.

Voltage	230V
Frequency	50Hz
Wattage	2000 W
Thermal cut-out	Provided
Heating position	1000W /
	2000W



Two Heating Positions



Twin Turbo Motor



Indicator Light



Adjustable Heights

#### **QUARTZ ROOM HEATER**

#### 400 / 800W

# RR QUARTZEE





- Twin Quartz tube for direct heating.
- Safety tip over switch cuts off the heater, in case it tilts or falls.
- Two heat settings-400 watt/800 watt, for maintaining desired room temperature.

Voltage	230V
Frequency	50Hz
Wattage	400 W /
	800 W



Indicator Light



Switch for heat setting 400w/800w



Quartz Heating Tubes

#### **CALID HALOGEN HEATER**







- Oscillation upto 180° at all heat setting
- Elegant Panel design that matches your Home Décor
- Ideal for use in small room for Instant Heating
- Easy to switch between heat settings and manage oscillation function
- Safety tip over switch that cuts OFF the Heater incase it Tilts or Falls

Voltage	230V
Frequency	50Hz
Wattage	1200 W
Heating	400W
Position	800 W
	1200 W



Easy Lift Handle




180° auto OSCILLATION



3 Heating rod



Safety Tip Over Switch





Disclaimer: Due to continuous product improvements, Product Image shown may vary from actual product.

# **PROFILE Plus**

#### 1000 W







- Weilburger Non Stick Coated Sole Plate for Instant Heating
- Uniform Heat Distribution across the sole plate
- PBT Body with stain resistant, High Strength, tough and stiff characteristics
- Ergonomic stylish handle



Easy Handle Grip



360° Swivel Cord



Variable
Temperature
Control

#### **ARDENT Plus**







- Weilburger non stick coated sole plate for instant heating
- Uniform heat distribution across the sole plate
- Ergonomic stylish handle
- Customize settings for different fabrics



Easy Handle Grip



Indicator Light



Variable
Temperature
Control

#### **ESTELLA Plus**

#### 1000 W







- Weilburger Non Stick Coated Sole Plate for Instant Heating
- Uniform Heat Distribution across the sole plate
- Ergonomic Stylish Design
- Reliable Snap Action Thermostat



Indicator Light



Thermal Cut out



Adjustable Temperature Control

#### **SILK FLOW Plus**







- Uniform heating
- · Non stick coating
- Ergonomic handle design
- Multiple temperature levels
- Reliable snap-action thermostat



Indicator Light



360° Swivel Cord



Variable
Temperature
Control

#### **HEAVY WEIGHT Plus**

#### 1000 W







- Saves time, while ironing out wrinkles on clothes
- Aluminium alloy sole plate with to Weilburger Non Stick Gold Coating
- Safety thermal fuse helps avoid Accidental burns by preventing over-heating.
- ISI safety hallmark by BIS



Indicator Light



Weilburger Non Stick Gold Coated Sole Plate



Thermal Cut out



Adjustable Temperature Control



## **R R Kabel Limited**

#### Corp. Office:

R R Kabel Limited, Ram Ratna House, Oasis Complex, P. B. Marg, Worli, Mumbai, 400 013, Tel No.: +91-22-24929009 / 24924144

#### www.rrglobal.com

Customer Care Toll Free No.: 18001032676

Email: customercare@rrglobal.com

Terms & conditions apply.

The products may differ as per catalog due to continuous improvements.

The colour shade of the products shown may differ from the actual products colour due to printing limitations

Follow us on f in



